APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 2	
Reti	urned to applicant for correction.
	SEP 2 5 1979 rected application filed.
	sep 2 5 1979
•	
	The applicant Carlos R. Taylor
	1313 Sattes of Las Vegas Street and No. or P.O. Box No. City or Town
	Nevada 89101 , hereby make application for permission to appropriate the public State and Zip Code No.
wate	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion	; if a copartnership or association, give names of members.)
1.	The source of the proposed appropriation is an underground source Name of stream, lake or other source.
2.	The amount of water applied for is five second-feet One second-foot equals 448.83 gals. per min.
	(a) If stored in reservoir give number of acre-feetacre-feet
3.	The water to be used for irrigation and domestic purposes Irrigation, power, mining, manufacturing, domestic, or other use.
4.	If use is for:
	(a) Irrigation (state number of acres to be irrigated) 320 acres
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12. Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: SE1, NE1 of Section 28, Town-
	ship 25 South, Range 64E., MDB&M, or at a point from which the NE cor-
1	Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, ner of said Section 28 bears North 07°30'00" East a distance of 1500
:	feet it should be stated. Place of use North Half (N½) of Section 28, Township 25 South, Range 64
	Describe by legal subdivision, if on unsurveyed land it should be so stated.
	East, MDB&M.
7.	Use will begin about <u>January 1st</u> and end about <u>December 31st</u> , of each year. Day and Month Day and Month
8.	
	specifications of your diversion or storage works.) pumps directly into a sprinkler system
	State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9.	Estimated cost of works \$15,000.00
10.	Estimated time required to construct works one year
11.	Estimated time required to complete the application to teneficial use four year-
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	D.L.E. Act
Δnr	olicant Carlos R. Taylor
Ω.PΙ	By s/ Richard J. Baughman
	Richard J. Baughman hpared lp/jw bl/bc 2325 W. Charleston Blvd.
Con	npared 1P/JW B1/BC 2325 W. Charleston B1vd. Las Vegas, NV 89102
	DENIAL OF STATE ENGINEER
	deny This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
follo	owing limitations and conditions:
	This application is herewith denied on the grounds that to grant
	the application for irrigation purposes on lands that the
	applicant does not own or control and cannot demonstrate the
	ability to place the water to beneficial use, would not be in the
	public interest and welfare.
,	
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not	to exceedcubic feet per second
Act	ual construction work shall begin on or before
	of of commencement of work shall be filed before
Wo	rk must be prosecuted with reasonable diligence and be completed on or before
	of of completion of work shall be filed before
	olication of water to beneficial use shall be made on or before
• •	of of the application of water to beneficial use shall be filed on or before
	p in support of proof of beneficial use shall be filed on or before
	ייי בעמיטע אוייים אויים אוייים אייים אייים איייים אוייים אייים אוייים אוייים אוייים אוייים אוייים אוייים איייים אוייים או
	spletion of work filed State Engineer of Nevada, have nereunto set my hand and the seaf of
	of of beneficial use filed my office, this 4th day of MAY
Cer	tificate NoIssued
	orded Bk Page State Engineer